

IN THE CLAIMS

Please amend the claims as follows:

1. (Currently Amended) A device for presenting information units, comprising
history means for storing references to presentable information units into a history
list, the history means comprising:

 user operable navigation means for changing a current position in the
history list, and

 presentation means for presenting an information unit referenced by the
reference at the current position, and

 compilation means for user operably compiling a set of references to
desired information units, wherein the compiled set of references includes both
previously viewed and un-viewed information units, and storing the references of
said set according to the time of their inclusion into the history list so as to present
an information unit referenced by the compiled set in response to a user operating
said navigation means.

2. (Currently Amended) The [A] device as claimed in claim 1, wherein the
navigation means comprising:

 forward means for changing the current position in the history list to a reference
stored more recently than the reference at the current position, the presentation means
being adapted to present respective information units referenced by the compiled set in
response to the user iteratively operating said forward means.

3. (Currently Amended) The [A] device as claimed in claim [2] 1, wherein the compilation means being adapted to impose a user supplied order on the compiled set of references, and store the references into the history list in accordance with said order.

4. (Currently Amended) The [A] device as claimed in claim 1, further
comprising:

bookmark means for storing a bookmark to the compiled set of references,
and

storing the references of said set into the history list in response to the user selecting said bookmark.

5. (Currently Amended) The [A] device as claimed in claim 1, wherein the information units being retrieved from a remote server, the compilation means being adapted to start retrieving information units referenced by the compiled set independently of an operation of the navigation means.

6. (Currently Amended) The device as recited in claim 1, wherein said device is
an [An] internet access terminal [as a device as claimed in claim 1].

7. (Currently Amended) A method of presenting information units, comprising a step of storing references to presented information units into a history list, a step of user operably changing a current position in the history list and presenting an information unit

referenced at the current position, [characterized in that the method] further comprises [a step] the steps of:

user operably compiling a set of references to desired information units, wherein the compiled set of references includes both previously viewed and un-viewed information units, and [a step of]

storing the references of said set according to the time of their inclusion into the history list so as to present an information unit referenced by the compiled set in response to a user changing the current position in the history list.

8. (Currently Amended) The [A] method as claimed in claim 7, further comprising the steps of: [a forward moving step of]

user operably changing the current position to a reference stored more recently than the reference at the current position, and [a step of]

presenting the information units referenced by the compiled set in response to the user iteratively performing said forward moving step.

9. (Currently Amended) The [A] method as claimed in claim 8, further comprising [a step] the steps of:

imposing a user supplied ordering on the compiled set of references, and [a step of] storing the references into the history list in accordance with said ordering.

10. (Currently Amended) The [A] method as claimed in claim 7, further comprising [a step] the steps of:
- storing a bookmark to the compiled set of references, and
 - storing the references of said set into the history list in response to the user selecting said bookmark.
11. (Currently Amended) The [A] method as claimed in claim 7, wherein the information units being retrieved from a remote server, the method further comprising [a] the step of:
- retrieving information units referenced by the compiled set independently of an operation of the navigation means.
12. (Previously Amended) A computer program product for performing, when executed on a computing device, the method as claimed in claim 7.
13. (Currently Amended) The [A] device as claimed in claim 1, wherein a first information unit referenced by the compiled set is presented immediately.
14. (Currently Amended) The [A] method as claimed in claim 7, further comprising a step of:
- immediately presenting a first information unit referenced by the compiled set.